

### Experience and results of operation the SUW 2000 system in traffic corridors:

- I Warsaw Vilnius,
- III Krakow Kiev,
- II Warsaw Minsk Moscow.

**Piotr Waryń** 

PKP Intercity spółka z o.o.



Vienna, May 2005

#### Goal - customers' satisfaction



#### **SUW 2000 – technical information**


Implementation of the SUW 2000 system was preceded by research on test rig in CNTK – Warszawa and completed on August 2000.

Polish solution of adjustable gauge wheelset
 SUW 2000 was submitted to UIC.


Conformity of the SUW 2000 system with requirements contained in the UIC 510-4 leaflet was confirmed by the UIC.

#### **SUW 2000**

Example of positioning of the track gauge changing facility (TSP) at the 1435/1520 mm interface



### Connecting LAF coupler head with UIC screw coupling



#### **SUW 2000 - International cooperation - Lithuania** (1)

On the ground of thersided agreement of PKP DB and LG, supervised commercial operation of rolling stock through the Trakiszki (PKP) – Mockava (LG) border crossing was started in October 2000

- passenger train No. 27/28 Warsaw Vilnius Warsaw ,
- Freight wagons on routes Mielec Kazlu Ruda and Szczecinek - Kazlu Ruda.

### **SUW 2000 - International cooperation - Lithuania** (2)

#### **Beginning of operation:**

29 October 2000

#### Place:


**Polish – Lithuania border Preparations:** 

\* modernization of vehicles fitting six PKP coaches with 25AN/S boogies equiped with wheelsets of SUW 2000 system,



- activation of the track gauge changing facility (TSP) in Mockava (LG)
- common tariffs
- common promotion
- \*cooperation with travel offices.

#### **SUW 2000 – International cooperation - Lithuania** (3)





Track gauge changing facility (TSP) at the 1435/1520 mm interface at Mockava station (LG)

#### **SUW 2000 – International cooperation - Lithuania** (4)



25 AN/S1 bogie with SUW 2000 wheelset under sleeping car Görlitz 77-BK



Couchette 110Ab-BK



Sleeping car Bautzen 86-BK

### **SUW 2000 - International cooperation - Lithuania** (5)

- Journey time:
- Warsaw Vilnius 9h 10m,
- Vilnius Warsaw 9h 06m,
- Average commercial speed:
- Warsaw Vilnius 65,5 km/h,
- Vilnius Warsaw 65,9 km/h,
- Maximum speed:
- PKP 120 km/h,
- LG 100 km/h.

#### **SUW 2000 - International cooperation - Lithuania** (6)

Distance coverd by particular coaches equipped with SUW 2000 system:

from 488 400 km up to 625 200 km,

Number of gauge changing on the TSP for paticular operated vehicles:

from 814 up to 1042,

- Total number of gauge changes on the TSP at Mockava station (LG):
  - **-5754**,
- Total number of wheelsets subjected to gauge change SUW 2000 system on the TSP at Mockava station (LG):
  - **46 032.**

### **SUW 2000 - International cooperation - Lithuania** (7)

#### **\* Effectsts:**

- direct connection to Lithuania, possibility of traveling availability without visas within the EU
- reduction of journey time by approx. 1h 30min,
- competittion with road transport,
- reduction of the necessary infrastructure at the border crossing.

#### Plans:

- introduction of the second passenger train,
- > further reduction of journey time,
- implementation of Warsaw Riga connection.



### **SUW 2000 - International cooperation - Lithuania** (8)

Poland– Lithuania freight traffic via Mockava station with the utilization of wagons equipped with the SUW 2000 system

No	Wagon type	Wagon No.	Distance covered	Numer of travels	Numer of gauge chahges
1.	Sikks	31 51 473 8550-6	100 055 km	73	146
2.	Sikks	31 51 473 8551-4	100 055 km	73	146
3.	Haikks	31 51 297 6318-3	100 837 km	72	144
4.	Haikks	31 51 297 6319-1	101 137 km	72	144
Sum			402 084 km	290	580





### **SUW 2000 - International cooperation - Ukraine (1)**

On the ground of bilateral agreement between PKP and UZ supervised commercial operation of rolling stock trough the Medyka (PKP) – Mostic-ka-2 (UZ) border crossing was started in December 2003

passenger train No. 35/36 Cracow - Kiev - Cracow

### **SUW 2000 - International cooperation - Ukraine** (2)



#### **SUW 2000 - International cooperation - Ukraine (3)**

**Beginning of operation: 15 December 2003** 

**Place:** Polish – Ukrainian border

**Preparations:** 

- modernization of four PKP and five UZ vehicles couches equipped with 25AN/S boogies with wheelsets of SUW 2000 system and upgrading of coach interiors to EuroNight standard,
- activation of the track gauge changing facility (TSP) in Mostiska-2 (UZ),
- common tariffs,
- common promotion,
- cooperation with travel offices.

### **SUW 2000 - International cooperation - Ukraine (4)**





Track gauge changing facility (TSP) at the 1435/1520 mm interface at Mostiska-2 (UZ)

### **SUW 2000 - International cooperation - Ukraine (5)**



**EuroNight standard - 306A sleeping car** 

### **SUW 2000 - International cooperation - Ukraine** (6)





**EuroNight standard - 306A sleeping car - interior** 

### **SUW 2000 - International cooperation - Ukraine (7)**





**EuroNight standard - 306A sleeping car interior** 

### **SUW 2000 - International cooperation - Ukraine (8)**



"SUW 2000" train at Mostiska-2 (UZ)

#### **SUW 2000 - International cooperation - Ukraine (9)**

- Journey time:
- Cracow Kiev 15h 13m
- Kiev Cracow 15h 14m
- Average Commercial speed:
- Cracow Kiev 65,4 km/h
- Kiev Cracow 65,3 km/h
- Maximum speed:
- PKP 125 km/h
- UZ 120 km/h

#### **SUW 2000 - International cooperation - Ukraine** (10)

- Distance covered by particuler PKP Intercity coaches equipped with SUW 2000 system:
  - from 204 200 km up to 223 000 km,
- Number of gauge changing on the TSP for particular coaches operated by PKP Intercity:
  - from 186 up to 216,
- Total number of gauge changes for PKP Intercity operated coaches on the TSP at Mostiska-2 station (UZ):
  - **632**,
- Total number of wheelsets of SUW 2000 system subjected to gauge change changed on TSP at Mostiska-2 station (UZ):
  - **5 056.**

### **SUW 2000 - International cooperation - Ukraine (11)**

#### **Effects:**


- ✓ direct connection Cracow Kiev,
- ✓ reduction of journey time by 2h 30min,
- competition with road transport,
- Reduction of the necessary infrastructure at the border crossing.

#### ❖ Plans:

- introduction of the second passenger train set connecting Lviv - Cracow - (Warsaw),
- implementation of Lviv Cracow Prague (Vienna),
- further reduction of journey time.

#### Supervised operation results

Average increase of radial wear of IN A sliding slave as a function of distance covered for coaches equipped with SUW 2000 system



#### Evaluation of the operation - conclusions

Conclusions from operation trials of coaches equipped with SUW 2000 system, on competion of 400 000 km of distance covered confirmed all design princeples of the system.

**♦ Operation of SUW 2000 system in winter conditions that low temperature (down to - 35°C) as well as snow and ice accumulation on the bogies do not affect the system.** 

Development plans for implementation of



## SUW 2000 - International cooperation - Belarus, Russia II PanEuropen transport corridor (1)

The next important transport corridor for implementation of SUW 2000 system is the II Pan-Europeen Corridor, to which EU attaches special attention.

Certification procedure in the Certification Register of the Federal ministry of Transport of Russia is currently in progress.

80% of foreseen tests of the Polish coach equipped with SUW 2000 system have been so far were carried out by Russian railway research institute - WNIIZT.

## SUW 2000 – International cooperation Belarus, Russia Il PanEuropen transport corridor (2)



PKP plans to implement new product with Belarusian and Russian railways in 2006.

### SUW 2000 - International cooperation - Czech Republic

#### Cooperation with Czech Railways (ČD)

SUW 2000 system has a potential for implementation in passenger traffic on the route Lviv — Cracow – Prague.

#### **SUW 2000 – International cooperation**

#### Other future implementations

PKP S.A. conducts European promotion of the SUW 2000 system.

New partners confirmed interest in the SUW 2000 system.



# THANK YOU FOR YOUR ATTENTION

